## **Declaration of Conformity**



The undersigned, representing the following:

Manufacturer		
Eternit NV		
Kuiermansstraat 1		
B – 1880 Kapelle-op	-den-Bos	
Manufacturing plant :	7000	
Manufacturing plant:	7000	

Following the provisions of the 89/106/EEC Construction Products Directive

herewith declare that the product **Bluclad** to which this declaration relates

is in conformity with the provisions as described in the annex ZA of the following standard(s):

## EN12467:

Fibre-cement flat sheets – Product specification and test methods

## Intended use(s):

- Internal wall and ceiling finishes
- External wall and ceiling finishes

Characteristic	Performance declaration	References
Mechanical resistance	Category B – class 2	BBRI ref DE 65052047/B
Reaction to fire	Class A2 – s1, d0	WFG ref 12047C
Water permeability	Pass	BBRI ref DE 65052047/B
Dimensional variations	Pass	BBRI ref DE 65052047/B
Release of dangerous substances	Type NT	
Durability against warm water	Pass	BBRI ref DE 65052047/B
Durability against soak / dry	Pass	Idem
Durability against freeze-thaw	Pass	Idem
Durability against heat-rain	Pass	BBRI ref DE 65052047/B

Name and address of notified laboratory involved:

- Warringtonfiregent (WFG) NV, Ottergemsesteenweg-Zuid 711, B-9000 Gent
- BBRI, Avenue P. Holoffe 21, B-1342 Limelette

For the manufacturer

Name: Verheyen Walter Position: Factory Manager

Date: 02.10.2006

Ref nr Eternit SP70/06