



VARIANTS

5760 | Shower faucet

5760 | SHOWER FAUCET

Oras Care

EANCODE

6414150091308

ACTIVEMARKETAREAS

INT, FIN, NOR, SAE, DNK, POL,

RUS, EST, LTU, LVA, UKR

Thermostatic shower faucet with ergonomic drop shape handles. Temperature handle equipped with safety stop at 38°C. Volume handle with EcoFlow control. The faucet is equipped with cover plates (triple sealed). The faucet includes litter ?lters and non-return valves.



Oras Care

Oras Care range is made for every generation, from a child getting used to going to the bathroom on their own, to people with age-related health issues such as visual impairment or decreased motor function. Providing users a soothing bathroom experience no matter their circumstances or environment.

Features

Additional features

Retro-fit safety lock against scalding.
Limiter adjustable between 38°-42°C during mounting.

Connection

Direct connection, Cover plate(s), Cover plate triple sealed

Lever/Handle

Temperature control handle, Flow control handle, Eco feature for water flow

Mechanical parts

Ceramic head part for flow control, Thermostatic cartridge for automatic temperature control, Non-return valve(s), Litter filter(s)

Special features

Inner body made of DZR brass

Color

Chrome

Temperature

Safety stop against scalding at 38°C

Flow attributes

Flow-rate at 300 kPa

0.26 l/s

Technical properties

Connection size

G3/4

Hot water supply

max. +80°C

Installation width

CC150±3 mm

Material

Brass

Working pressure

100 - 1000 kPa

Regulations

Noise class

I (ISO 3822)

Noise class 0.2 l/s

I (ISO 3822)