



This post bases are used for garden structures. They are particularly adaptable for temporary structures. The PPJST is screwed thanks to large thread.

EGENSKAPER



Materiale


Steel DD11 according to EN 10111

Hot dip galvanization according to EN ISO 1461

Thickness : 2mm

Fordeler

Depth of 600mm



ANVENDELSE

Skjøter

Header: Loose ground,



Joist: timber post,...

Bruksområder

- Clôtures de jardin, panneaux, claustras,
- Abris de jardin, bûchers de jardin, carports,
- Structures légères et ouvrages temporaires de jardin.

TEKNISK DATA

Dimensjoner



Art. nr.	Mål					Huller	
	A	B	C	D	t	Ø11	Ø18
PPJST70	71	145	71	655	2	8	2
PPJST90	91	45	91	655	2	8	2
PPJST70/660	71	145	71	515	2	8	2
PPJST90/660	91	145	91	515	2	8	2
PPJST70/600	71	150	71	450	2	8	2
PPJST100/600	101	150	101	450	2	8	2

MONTERING

Fixing


Post:

Bolts

Timber screw Ø10

Mise en garde

La gamme de jardin ne convient pas pour des applications structurales soumises à des forces importantes (vent...). Les structures doivent également être correctement conçues et mises en oeuvre afin d'assurer la reprise de charges latérales de vent (jambe de force...).



Fixation à visser
dans le sol